

Today

- Critical points
- First and second derivative tests
- Sketching

Critical points

- A critical point of $f(x)$ is a point a at which $f'(a)=0$ or $f'(a)$ is not defined even though $f(a)$ is defined.
- Use of critical points:
 - Critical points of $f(x)$ might be minima or maxima of $f(x)$. Not always though.
 - Critical points of $f'(x)$ might be minima or maxima of $f'(x)$ and hence inflection points of $f(x)$. Not always though.

First derivative test

First Derivative Test

Suppose that $x = c$ is a critical point of $f(x)$ then,

1. If $f'(x) > 0$ to the left of $x = c$ and $f'(x) < 0$ to the right of $x = c$ then $x = c$ is a relative maximum.
2. If $f'(x) < 0$ to the left of $x = c$ and $f'(x) > 0$ to the right of $x = c$ then $x = c$ is a relative minimum.
3. If $f'(x)$ is the same sign on both sides of $x = c$ then $x = c$ is neither a relative maximum nor a relative minimum.

Second derivative test

Second Derivative Test

Suppose that $x = c$ is a critical point of $f'(c)$ such that $f'(c) = 0$ and that $f''(x)$ is continuous in a region around $x = c$. Then,

1. If $f''(c) < 0$ then $x = c$ is a relative maximum.
2. If $f''(c) > 0$ then $x = c$ is a relative minimum.
3. If $f''(c) = 0$ then $x = c$ can be a relative maximum, relative minimum or neither.

These tests both tell you (almost) the same thing!

$$g(x) = 12x^3 - 12x^2 \text{ has...}$$

- (A) a maximum at $x=0$ and a minimum at $x=1/3$.
- (B) a minimum at $x=0$ and a maximum at $x=1/3$.
- (C) a maximum at $x=0$ and an inflection pt at $x=1/3$.
- (D) an inflection pt at $x=0$ and a minimum at $x=1/3$.

$$g(x) = 12x^3 - 12x^2 \text{ has...}$$

- (A) a maximum at $x=0$ and a minimum at $x=1/3$.
- (B) a minimum at $x=0$ and a maximum at $x=1/3$.
- (C) a maximum at $x=0$ and an inflection pt at $x=1/3$.
- (D) an inflection pt at $x=0$ and a minimum at $x=1/3$.

$$f(x) = 3x^4 - 4x^3 \text{ has...}$$

- (A) a maximum at $x=0$ and a minimum at $x=1$.
- (B) a minimum at $x=0$ and a maximum at $x=1$.
- (C) a maximum at $x=0$ and an inflection pt at $x=1$.
- (D) an inflection pt at $x=0$ and a minimum at $x=1$.

$$f(x) = 3x^4 - 4x^3 \text{ has...}$$

- (A) a maximum at $x=0$ and a minimum at $x=1$.
- (B) a minimum at $x=0$ and a maximum at $x=1$.
- (C) a maximum at $x=0$ and an inflection pt at $x=1$.
- (D) an inflection pt at $x=0$ and a minimum at $x=1$.